Welcome to STN International! Enter x:x LCGINID: sespta1765maa PASSWOLT: TERMINA: (ENTER 1, 2, 3, CF. 2):3 * * * * * * * * * * * Welcome to STN International HEWS Web Fage UPLs for STN Seminar Schedule - N. America Jan 15 BLAST(É) searching in FEGISTRY available in STN on the Web HEWS Jan 19 FSTA has been releaded and moves to weekly updates MEWS Feb () IKILIT new produced by FIZ Karlaruhe and has a new update MEWS firequency Feb 1 * Access via Tymnet and SprintNet Eliminated Effective 3/31/02 HEWS ' NEWS / Mar (* Gene Namos now available in BICSIS TOWLIT no longer available TROTHERMO no longer available Har ... HEWS NEWS - Mar ... MEWS - A Man 196 US Provisional Priorities searched with P in CA Caplus and USPATEULL LIFINSKI CALC added for property searching in REGISTRY PAFEFCHEM no longer available in STN. Use PAPEECHEM2 instead. "Ask CAS" for self-noop around the clock PETLSTRIM: Esload and Implementation of a New Subject Area MEWS 10 Mar UE MEWS 11 Apr :: Apr :: NEWS 1. + MIT NEWS 1: NEWS 1: NEWS 1: 1 Apr II 20P will be removed from STN US Patent Applications available in IPICDB, IFFPAT, and IFIUDB Belonds from 19.50% available in CAPLUS, HCAPLUS, and ZCAPLUS BIOSIS Gene Names now available in TOMCENTER Federal Besearch in Progress (FEDRIP) now available NEWS 1 ACT ... NEWS Iing I NEWS 19 May 31 BCTFULN to be reliaded. File temporarily unavailable. NEWS 19 Jun 18 New e-mail delivery for search results now available MEWS EMPERSS February 1 CURRENT WINDOWS VERSION IS V6.00, CHURRENT MACINTOSH VERSION IS V6.0a(ENG) AND V6.0Ja(JP), AND CURRENT DISCOVER FILE IS DATED 05 FEBRUARY 200. STN Operating Hours Plus Help Desk Availability NEWS HOULS NEWS INTER General Internet Infirmation NEWS INSIN Welcome Banner and News Items NEWS PHONE Direct Dial and Telecommunication Network Addess to STN TAS World Wide Web Site general information: HEWS WWW Enter NEWS followed by the oten number or name to see news on that specific topic. All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation. of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties. FILE 'HOME' ENTERED AT 05:31:04 ON 01 JUN 2002 = · file regist: :: SINCE FILE COST IN U. .. DOLLARS TOTAL ENTRY SESSION 0.21 FULL ESTIMATED COST 0.21

FILE 'REGISTRY' ENTERED AT 08:33:41 ON 14 JUN 2002

```
USE IS SUBJECT TO THE TERMS OF YOUR SIN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERM" FOR DETAILS.
COPYRIGHT (C) 2002 American Chemical Society (ACS)
STRUCTURE FILE UPDATES: 2 JUL 2001 HIGHEST EN 404787-52-0
                                2 (UN 2001 BIGHEST FN 404787-52-0
EIGTIONARY FILE UPDATES:
TOCA INFORMATION NOW CURFEIT THROUGH January 7, 1900
  Please note that search-term pricing does apply when
  conducting Smart SELECT sear thes.
Crossover limits have been increased. See HELF CHOSSOVER for details.
Calculated physical property data is now available. See HELP PROPERTIES
fir more information. See STNote 27, Searching Properties in the CAS
Fedistry File, for complete details:
http://www.cas.org/ONLINF/STN_STNOTES/stnotes:7.pdf
* e aluminum gallium nitride on
              1 ALUMINUM GALLIUM NICKEL SILICON HYDROXIDE OXIDE/ON
Ξ, 1
                       ALUMINUM BALLIUM NIOETUM NITELDE ALG.1GAO.3%NBO.02N)/CN
S.,
                0 -- ALUMINUM SALLIUM NITFIDE/CH
              C --> ALUMINUM GALLIUM NITEIDE/CN

ALUMINUM GALLIUM NITEIDE ( ALG-2.00 AL.98-10) CN

ALUMINUM GALLIUM NITEIDE (ALG-2.00 AL.98-10) CN

ALUMINUM GALLIUM NITEIDE (ALG-1.00 AL.98-10) CN

ALUMINUM GALLIUM NITEIDE (ALG-1.10 AL.88-10) CN

ALUMINUM GALLIUM NITEIDE (ALG-1.10 AL.87-10) CN

ALUMINUM GALLIUM NITEIDE (ALG-3.14 AL.88-10) CN

ALUMINUM GALLIUM NITEIDE (ALG-3.14 AL.88-10) CN

ALUMINUM GALLIUM NITEIDE (ALG-1.10 AL.88-10) CN

ALUMINUM GALLIUM NITEIDE (ALG-1.10 AL.88-10) CN
\Xi : \mathcal{F}
Ξ.
E 3
E : :
E12
a • 3 • • • •
                1 "ALUMINUM GALLIUM NIPRIDE ((AL,GA N)" ON
= - a 11
     ANSWER 1 OF 1 REGISTRY COPYRIGHT 2000 ACS 196097-44-3 REGISTRY
- -
- - -
      Aluminum gallium nitride ((Al,Ga)N) (9CI) DA INDEX NAME;
OTHER NAMES:
     - Aluminum gallium nirride (Ali-1Gal-1N)
ME
      Al . Ga . N
      All-1 Ga0-1 N
      T \subseteq \mathbb{F}
SF.
     SIN Files: CA, CAPLUS, TOXOENTER, USPATZ, USPATFULL
                | Hatio | Component
| Hegistry Mumber
   Jempunent.
N | 1 | 1 | 10779-66-9
G: 0-1 | 7411-65-5
A: 0-1 | 7429-61-9
               2296 REFERENCE, IN FILE CA (1967 TO DATE:
                   I REFERENCES TO NON-SPECIFIC DESIVATIVES IN FILE CA
               2303 REFERENCES IN FILE CAPLUS (1967 TO DATE)
```

= file caplus COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION

9.59 9.38

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 08:39:37 ON 04 JUN 2002 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. Phease see "Help usageterms" for Details. COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHEE (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching datarases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is structly prohibited.

FILE COVERS 1907 - 4 Jun 2002 - VOL 136 ISS 23 FILE LAST UPDATED: 2 Jun 2000 .10020602/ED:

This file contains CAS Fegistry Numbers for easy and accurate sugstance identification.

CAS roles have been modified effective Fedember 16, 2001. Please check your SDI profiles to see if they need to be revised. For information on CAS roles, enter HELP ROLES at an arrow prompt or use the CAS Foles thesaurus (FL field) in this file.

=> s 11 I_ . . . 2303 11

= s epitamial growth 69109 EPITAKIAL (EPITAXIAL OF EPITAXIALS)

995168 GROWTH

(GROWTH OF GFOWTHS)

- 3 19818 EPITAMIAL GROWTH

(EFITAXIAL (W:GROWTH)

 \Rightarrow s 12 and 13

66 L2 AND L3

= - d 14 1-7 thik abs

L: ANSWER 1 OF 66 CAPLIES COFFEIGHT 2002 ACS .7002:261146 CAPLUS ACCESSION NUMBER:

DOCUMENT NUMBER:

136:333314

TITLE:

Gas source molecular beam epitaxy of high quality

AlGall or. Si and sapphire

AUTHOR(S):

Mikishin, S.; Kipshidze, G.; Kuryatkov, V.; Zubrilov, A.; Chai, K.; Gherasciu, In.; Grave de Peralta, L.; Prokofyeva, T.; Holtz, M.; Asomoza, R.; Kudryavtsev,

Tu.; Temkir, H.

CORPORATE SOURCE:

Department of Electrical Engineering, Texas Tech

University, Lubbook, TM, 79401, USA

SOUFCE:

Materials Fesearch Society Symposium Proceedings

(200%), 639(GaN and Related Alloys--2000),

G11.37/1-G11.37/6

GODEN: MRSFDE: ISSN: 0272-9172 Materials Research Society

DOCUMENT TYPE:

Journal

LANG AGE:

FUBLISHEF:

Enalish

We report the results of epitaxial growth expts. on

AlmGal-xN ().ltoreq. x .ltcreq. 1) on Si(111) and sapphire substrates aimed at understanding the origin and elimination of cracking. We describe growth procedures resulting in thick layers of AlmGal-xN, grown by gas source mol. beam epitaxy with armonia, that are free of cracks. In \mbox{GaW} layers with the thickness of .apprx.2.5 .nu.m, we find the background electron conon. of (1-2).times.1016 cm-3 and mobility of (800.+-.100) cm2.Vs. In AlxGal-x2 (0.1 \pm x < 0.6) with the film thickness of 0.5-0.7 .mg.m the electron conch. of (2-2).times.1016 cm-3 is obtained. Low kackground conons, in Gall allow for formation of p-n junctions by doping with Mr. Light emitting dicdes with the peak emission at 380 nm have been demonstrated.

FEFERENCE COUNT:

. a THESE ARE 39 CITED REFERENCES AVAILABLE FOR THIS FECOSO. ALL CHATIOUS AVAILABLE IN THE RE FORMAT

ANSWER 2 OF 66 CAPLUS CORVEIGHT 2002 ACS 0000:061119 CAPLUS ACCESSION NUMBER:

FOCUMENT NUMBER:

TITLE:

AC operation of GaM:Er thin film electroluminescent

display devices

AUTHOF(3):

Heisenfeld, J.; Steckl, A. J.

CORPORATE SOURCE:

Manoelestronies Laboratory, University of Cincinnati,

Cindinnati, 08, 45221-0030, USA

SCURCE:

Materials Research Society Symposium Proceedings

(2001), 639(GaN and Related Alleys--2000),

G10.4/1-310.4/6

CODEN: MESEDE; ISSN: 0277-9172 Materials Research Society

PUBLISHER: DOGUMENT TYPE: Journal

LANGUAGE: English

Thin-film electroluminescence was obtained from GaN:Er deposited directly on amorphous dielec. layers. Flectroluminescent device (ELD) structures consisting of a dielog./GaN/dielog. were formed on p+-Si substrates. In contrast to previous GaM:Er ELDs which used epitaxial

growth conditions on cryst. substrates and were operated under d.b. bias, these ELDs were operated under a.b. bias. A max. luminance value of 300, 60, and 15 pd/m2 was achieved from GaU:Er and AlGaN:Er
AC-ELDs biased at 180 V and 180, 10, and 1 kHz, resp. The emission spectra, which originate from Eric 47-4f transitions, consist of dominant visible emission at .apprm.530/353 nm and IS omission at 1.5 .mu.m. A violet emission peak at 415 nm indicates that hot carriers can gain up to .apprx.3 eV energy for an applied voltage corresponding to 1.5 MM/cm applied field. The emitted intensity initially increases linearly with frequency, followed by a trend towards satn. The frequency for 3 dB redn. from the linear relation is at .apprx.65 kHz for visible emission and .apprx.8 kHz for IR emission. The satn. trends can be explained in terms of the spontaneous emission lifetimes of the visible (.apprx.10 .mu.s) and 18 (.apphx.lms) Er3+ emissions. ENGE COUNT: 17 THERE

EMPERENCE COUNT:

THERE ARE 17 DITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

e> file rea SINCE FILE COST IN U.S. DOLLARS TOTAL ENTEX SESSION 14.17 FULL ESTIMATED COST 23.76 SINCE FILE $T \oplus T A L$ DISCOUNT AMOUNTS FOR QUALIFYING ACCOUNTS) ENTEX SESSION CA STRECKIBER PRICE -1.24-1.24

FILE 'REGISTRY' ENTERED AT 08:49:11 ON 04 JUN 2002 USE IS SUBJECT TO THE TERMS OF YOUR STU CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2002 American Chemical Society (ACS)

STRUCTURE FILE UPDATES: 2 JUN 2001 HIGHEST RN 424787-53-0 0001 NUU 8 DICTIONARY FILE UPDATES: HIGHEST FN 404787-50-0 TSCA INFORMATION NOW CURRENT THROUGH January 7, 2002 Please note that search-term priding does apply when bonducting SmartSELECT searches. Crossover limits have been increased. See HELP CROSSOVER for dutails. Calculated physical property data is now available. See HELP PROPERTIES for more information. See STNote 27, Searching Properties in the CAS Registry File, for complete details: http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf = · d his (FILE 'HOME' ENTERED AT 08:3::04 ON 04 (UN 2002) FILE 'REGISTRY' ENTERED AT 09:33:41 ON 04 JUN 1002 E ALUMINUM CALLIUM NITHIDE/CN L: 1 S E4 FILE 'CAPLUS' ENTERED AT 08:39:37 ON 04 JUN 1000 2313 8 11 L.* 19818 S EPITARIAL GROWTH L L: 66 S LE AND L3 FILE 'REGISTRY' ENTERED AT 0::49:11 ON 04 JUN 2002 = - e aluminum gallium nitride/cn ALUMINUM GALLIUM NICKEL SILICON HYDROXIDE OXIDE/CN ΕĴ ALUMINUM GALLIUM NIOPIUM NITRIDE (ALO.1GAO.83NBO.02N)/CN ЕB 0 --> ALUMINUM GALLIUM NITFIDE/CN Ε4 ALUMINUM GALLIUM NITFIDE / (AL, GA) N) / CN E5ALUMINUM GALLIUM NITFIDE (ALO-0.08GA0.98-1N)/CN ALUMINUM GALLIUM NITHIDE (ALO-0.06GA0.94-1N)/CN \mathbb{E}^{47} ALUMINUM GALLIUM NITEIDE (ALO-0.10GA0.88-1N)/CN ALUMINUM GALLIUM NITEIDE (ALO-0.13GA0.87-1N)/CN E: $E \vdash$ ALUMINUM GALLIUM NITRIDE (ALO-0.14GA0.86-1M)/CM EU ALUMINUM GALLIUM NITFIDE (ALO-0.16GA0.84-1N)/CN E10 ALUMINUM GALLIUM NITRIDE (ALD-0.17GA0.83-1N).CN E11 ALUMINUM GALLIUM NITFIDE (ALO-0.13A0.9-11)/CH E1. 1 = ' ← ALUMINUM GALLIUM NITRIDE (ALC-0.73GA0.78-1N)/CN ALUMINUM GALLIUM NITRIDE (ALC-0.75GA0.75-1N)/CN El: 1 E _ : 1 Elf ALUMINUM GALLIUM NITRIDE (ALO-0.0GAO.8-1N)/CN 1 ALUMINUM GALLIUM NITHIDE (ALO-0.35GA0.65-1N)/CN E16 1 E17 ALUMINUM GALLIUM NITRIDE (ALO-0.3GA0.7-1N), CN 1 ALUMINUM GALLIUM NITFILE (AL0-0.45GA0.55-1N)/CN E1 = 1 E1 : ALUMINUM GALLIUM NITFIDE (AL0-0.4GA0.6-1N)/CN 1 EÜŌ ALIMINUM GALLIUM NITEIDE (ALD-0.90A0.3-1M)/CM 1 E. 1 1 ALUMINUM GALLIUM NITEIDE (ALO-6.60A0.4-1N)/CN Ε... 1 ALUMINUM GALLIUM NITRIDE (AL0-0.7GA0.3-1N)/CN ALUMINUM GALLIUM NITFIDE (ALO-1GAO-1N)/CN E_{-} 1 Ε. : 1 ALUMINUM GALLIUM NITFIDE *ALO.01GAO.330)/CN =∵ e Ε. 1 ALUMINUM GALLIUM NITFILE (ALC.OL-1GAG-0.98N)/CN 1 E. H ALUMINUM GALLIUM NITFIDE (ALO.OLGAO.98N); CN

ALUMINUM GALLIUM NITFIDE (ALO.03GAO.97N); CN

ALUMINUM GALLIUM NITFIDE (ALO.04-0.13GAO.87-0.96N)/CN

EL

E25

```
ALUMINUM GALLIUM NITPIDE (ALO.04-0.3GA0.8-0.36N)/CN
ED 3
                                      1
EP0
                                                      ALUMINUM GALLIUM NITRIDE (ALL.04GAC.96N)/CN
                                      1
                                                      ALUMINUM GALLIUM NITEIDE (ALC. 65-0.130AC.37-0.950) (CN
E : 1.
                                                       ALUMINUM GALLIUM NITFICE (ALI.66-0.46A).6-0.45N [CN
\mathbb{E}^{-} \cdot \mathbb{L}
                                                      ALUMINUM GALLIUM NITFILE (ALI, \ell, n-\theta, ...) ALUMINUM GALLIUM NITFILE <math display="inline">(ALI, \ell, n-\theta, ...) ALUMINUM GALLIUM NITFILE (ALI, \ell, n-\theta, ...) ALUMINUM GALLIUM GALLIUM NITFILE (ALI, \ell, n-\theta, ...) ALUMINUM GALLIUM GA
E_{i}^{-1}
E \ni \cdot ;
                                                      ALUMINUM GALLIUM NITFILE (ALI. 5-6.-GAC. 5-0.45M / CN
                                     1
                                                       ALUMINUM GALLIUM NITFICE (ALC. of -G. oGAG. 04-0.950)/CN
E.
                                     1
                                                       ALUMINUM GALLIUM NITFILE (ALO.05-10Ac-0.35N)/CH
EBG
                                     1
= - -
E : ...
                                      1
                                                      ALTMINUM GALLIUM NITFIEE ALL. :GA.. :GN) CN
                                                      ALUMINUM GALLIUM NITFIEE ALI. 6-6.08 SAO.3C-0.94NO.CN
ALUMINUM GALLIUM NITFIEE (ALG.66GAO.34N).CN
ALUMINUM GALLIUM NITFIEE (ALG.67-0.13AC.9-0.98N)/CN
Edt
                                      1
\mathbb{E}^{\mathcal{F}}:
EGU
                                                                                                                                  ALO.07-0.2GAS.8-0.9SNC/CN
E-11
                                     1
                                                      ALUMINUM SALLIUM NITFIDE
                                                                                                                                 ALC. THE AMERICAN ALCOHOLS IN 
E : \Gamma
                                                      ALUMINUM GALLIUM NITFILE
E4D
                                                      ALTMINUM GALLIUM NITFILE
                                                                                                                                  (AL).18-..103A1.88-..92N07CN
(AL).88-8.13A .8-0.82N .CN
E44
                                                      ALTHINUM GALLIUM NITFILE
Edi
                                                      ALUMINUM GALLIUM NITFICE
                                                                                                                                  ALG. 08-0. EDGAG. 63-0. 92N) / CN
Ein
                                                       ALUMINUM GALLIUM NITFICE
E.; .,
                                      1
                                                       ALUMINUM GALLIUM NITEIDE - ALO. 08 GAO. 92N) CON
                                     1
                                                       ALUMINUM GALLIUM NITRICE (ALI.03-0.10A0.5-0.91N) ON
E : :
=. · e
                                                      ALUMINUM GALLIUM NITRICE ALI.03-1.00 Md. FB-1.0100 CN
                                      1
E.; +
                                                      ALUMINUM GALLIUM NITFICE (ALC., AGA), ATM) CN
ALUMINUM GALLIUM NITFICE (ALC.1-0.00A), 8-0.900 ACM
E^{\frac{1}{2}-\epsilon^*}
                                      1
E: 1
                                                       ALUMINUM GALLIUM NITFIDE (ALO.1-0.7GA0.7-0.90)/CN
Ε...
                                                      ALUMINUM GALLIUM NITFILE ALL.1-1.49A0.6-1.90) CM ALUMINUM GALLIUM NITFILE ALL.1-1.49A0.6-1.90) CM ALUMINUM GALLIUM NITFILE (ALL.1-1.59A0.5-1.90) CM ALUMINUM GALLIUM NITFILE (ALL.1-1.60A0.14-0.90) CM ALUMINUM GALLIUM NITFILE (ALL.1-2.20A0.1-1.90) CM
Elb
E : :
EFF
                                      1
Eto
                                                       ALUMINUM GALLIUM NITFILE (ALC.1-1GA)- (.90) CN
Ef.
                                      1
                                                       ALUMINUM GALLIUM NITFIEE (ALO.116A). 180/001
E^{\frac{1}{2}}
                                                       ALUMINUM GALLIUM NITRIDE (ALO.13-18A0-0.88M) CON ALUMINUM GALLIUM NITRIDE ALO.13 SAO.88M) CON
E: :
\mathbb{E}^{d}
                                      1
= · e
E \in I
                                                       ALUMINUM GALLIUM NITFIDE (ALD. 180A). 8 Mg. CM
                                                       ALUMINUM GALLIUM NITFIDE (ALO.13GAN)/CN
Εť.
                                      1
                                                       ALUMINUM GALLIUM NITFIDE (ALO.14-0.47GA0.53-0.86N) ON
E \in \mathbb{F}
                                      1
                                                       ADDMINUM GALLIUM NITFIDE TALO.14GAO.86M) - CM
                                      1
\mathbb{E}t :
                                                                                                                                 ALC.18-0.13A0.8-0.85M) CM
ALC.18-0.883A0.45-0.8M) CN
ALC.183A0.88M) CM
                                                       ALUMINUM GALLIUM NITFILE
                                      1
\mathbf{E} \cdot \mathbf{1}
                                                       ALUMINUM GALLIUM NITEILE
E \cdot \epsilon
                                      1
Ed 7
                                      1
                                                       ALUMINUM GALLIUM NITFILE
Ede
                                     1
                                                       ALUMINUM GALLIUM NITHIFE (ALC.18GAC.84N) CN
                                                       ALUMINUM GALLIUM NITFIDE (ALC.173A).830)/CN
E_{0}
                                     1
E^{\frac{1}{2}} \cap
                                                       ALUMINUM GALLIUM NITFICE (ALC.19GAC.81M)/CN
                                     1
E-1
                                                       ALUMINUM GALLIUM NITFILE (ALC.193A0.81M) /3M
                                      1
E-[
                                                       ALUMINUM GALLIUM NITFILE ALC. 10AO. 3N 001
                                      1
= · ė
E., .
                                                       ALUMINUM GALLIUM NITHILE (ALG. 2-0.5GAO.4-0.8N) CN
                                      1
Ε,
                                                       ALUMINUM GALLIUM NITFIFE (ALC.2-), 9300.1-0.8N)/CN
                                      1
\mathrm{E}^{-\frac{1}{2}}
                                      1
                                                      ALUMINUM GALLIUM NITFILE ALG. 21 GAG. 230 CON
E ...
                                                      ALUMINUM GALLIUM NITFILE ALULUGAT. MUD CN
                                     1
                                                      ALUMINUM SALLIUM NITFILE ALT. SASA . TRO TRO
Ε ...
                                                      ALUMINUM SALLIUM NITFILE ALI. 24 5A . 7600 800
E.. -
                                    1
E .
                                                      ALUMINUM GALLIUM NITFILE (ALC. 01-0.050A0.00-0.75N)/CN
                                   1
E - U
                                   1
                                                     ALUMINUM GALLIUM NITHIDE (ALC. ASAC.780)/00
E - 1
                                                      ALUMINUM GALLIUM NITFILE (ALC.263A0.74N)/CN
                                    1
                                                      ALUMINUM GALLIUM NITHILE ALG.27GAG.7800 / CN
                                    1
E - ...
                                                      ALUMINUM GALLIUM NITFIPE ALILUHGA .72N CM
                                    1
E:3
                                                       ALUMINUM GALLIUM NITHIDE (ALI.19GAD.71N); CN
E 54
```

```
EEF
             1
                   ALUMINUM GALLIUM NITPIDE (ALO. SGAO. 8N) /CN
E = G
             1
                   ALUMINUM GALLIUM NITFIDE (ALC.3-1GA0-0.710/CN
Efr
                   ALUMINUM GALLIUM NITFIDE (ALC.31GAO.63N), CN
E^{-1}\vdash
                   ALUMINUM GALLIUM NITFIEE (ALC. 32GAO. 68N) / CN
                   ALUMINUM GALLIUM NITEIDE (ALC.33GAO.67N)/CN
F. -: 4
             1
                   ALUMINUM GALLIUM NITFILE (ALC.34GA0.66N)/CN
F. arc
E :41
                   ALUMINUM GALLIUM NITFIDE (ALC.35GAO.65N)/CN
                   ALUMINUM GALLIUM NITFILE (ALC.36-0.42GAC.58-0.64N)/ON
E -:
                   ALUMINUM GALLIUM NITFIDE (ALC.36GAO.64N)/CH
EBS
                                              (ALG.57GAG.6FN)/CN
                   ALUMINUM GALLIUM NITFICE
E 44
                   ALUMINUM GALLIUM NITFICE (ALC.38GAC.60N)/CH
E95
             1
             1
                   ALUMINUM GALLIUM NITFILE (ALO.39GA).(IN)/CH
Ette
E97
             1
                   ALUMINUM GALLIUM NITFIEE (ALC. GGAO. 70) / CN
E98
             1
                   ALUMINUM GALLIUM NITFIDE (ALO.4-1GAO-0.60)/CN
EBB
             1
                   ALUMINUM GALLIUM NITFILE (ALO.41GAO.53N)/CN
E1000
                   ALUMINUM GALLIUM NITFICE (ALO.40GAO.55N)/CN
             1
                   ALUMINUM GALLIUM NITFILE (ALO.48GAO.57N) /CN
E \ l \cap l
             1
E.O.
             1
                   ALUMINUM GALLIUM NITFICE (ALO.44GAO.5FN)/CH
E103
             1
                   ALUMINUM GALLIUM NITRIDE (ALO.41-0.850A0.15-0.55N)/CN
                   ALUMINUM GALLIUM NITRIDE (ALO.41GAO.55N)/CN
E104
             1
E105
                   ALUMINUM GALLIUM NITRIDE (ALO.46GA).54N) / CN
                   ALUMINUM SALLIUM NITFICE (ALC. 47GAO. 50H) CH
             1
E1.56
E1:
                   ALUMINUM GALLIUM NITFILE (ALG.48GAG.8JN) 'CN
             1
E^{\perp}
             1
                   ALUMINUM GALLIUM NITRICE (ALO.49GA0.51N) CON
E1::3
             1
                   ALUMINUM GALLIUM NITFIDE (ALO.4GAO.6M)/CM
E115
             1
                   ALUMINUM GALLIUM NITFILE (ALO. %-1GAO-7.5N)/CN
                   ALUMINUM GALLIUM NITRICE (ALC. B1-1GAC-0.49N) 'CN
             1
                   ALUMINUM GALLIUM NITRIEE (ALC.53GAC.49N)/CN
El
             1
                   ALUMINUM GALLIUM NITFICE (ALC. 50GAO. 45N) / CN
             1
                   ALUMINUM GALLIUM NITHIDE (ALC.53GAC.47N)/CH
E11:
             1
                   ALUMINUM GALLIÚM NITRIDE (ALC.54GAO.46N) CH
E115
             1
                   ALUMINUM GALLIUM NITRIDE (ALC.55GAO.45N)/CN
E116
             1
E117
                   ALUMINUM GALLIUM NITFIDE (ALC. 50GAO.44N) / CN
                   ALUMINUM GALLIUM NITFIDE (ALC.57GAC.43N)/CH
E 1.1.5
             1
E11.
             1
                   ALUMINUM GALLIUM NITFIDE (ALC.58GAC.42N)/CN
                   ALUMINUM GALLIUM NITFIDE (ALC. 59GAO.41N)/CH
E1. U
             1
= 5 \sim 2
E131
             1
                 ALUMINUM GALLIUM NITEIDE (ALO.5GAO.5N)/CN
Elil
             1
                  ALUMINUM GALLIUM NITFIDE (ALC.6-0.65GA0.35-0.4N)/CN
E123
                  ALUMINUM GALLIUM NITFIEE (ALO.61GAO.59N)/CN
             1
E114
                  - ALUMINUM GALLIUM NITRIDE (ALC.60GAG.38N)/CN
             1
E125
                  ALUMINUM GALLIUM NITRIDE (ALC.63GAC.37N)/CN
             1
                  ALUMINUM GALLIUM NITRIDE (ALO.64GAO.56N)/CN
E126
             1
ELLT
                  ALUMINUM GALLIUM NITFIDE (ALC.65GA0.55M)/CN
             1
E123
             1
                  ALUMINUM GALLIUM NITRIDE (ALC.66GAC.34N)/CN
ELLE
                  - ALUMINUM GALLIUM NITFILE (ALO.67GAO.53N) 'CN
            1
E130
             1
                   ALUMINUM CALLIUM NITFIEE (ALC. (PGAO. 32M) CH
                   ALUMINUM GALLIUM NITFIFE (ALO. 63GAO. 31N) CN
E131
             1
Ε. .
             1
                   ALUMINUM GALLIUM NITFILE (ALO.63A0.4N) CN
= -- --
E133
             1
                   ALUMINUM GALLIUM NITFILE (ALO.7-1GAO-0.3M)/CN
E1:;
                   ALUMINUM GALLIUM NITFILE (ALO.71GAO.03N) CN
E1.
             1
                   ALUMINUM GALLIUM NITFICE (ALO.70GAO.09N)/CN
E1
                  ALUMINUM GALLIUM NITFILE (ALO.73GAO.87N) CN
            1
E1:3
                   ALUMINUM GALLIUM NITFILE (ALC.74GAO.2011) OCH
             1
E1:5
                   ALUMINUM GALLIUM NITRICE (ALC.76GAO.24N)/CN
```

E139 E140 E141 E141 E147 E147	1 1 1 1 1	ALUMINUM ALUMINUM ALUMINUM ALUMINUM	GALLIUM GALLIUM GALLIUM GALLIUM	NITFILE NITFILE NITFILE	(AL0.77GA0 (AL0.75GA0 (AL0.79GA0 (AL0.7GA0. (AL0.9-).9 (AL0.51GA0	.01n) for .21m /00 ?m fon .5W((-3.2n) fon
=1. 0 E145 E146 E146 E147 E147 E147 E147 E147 E147 E147 E147		ALUMINUM	GALLIUM GALLIUM GALLIUM GALLIUM GALLIUM GALLIUM GALLIUM GALLIUM GALLIUM	MITFICE		.16N) 6M 95GAO.165-0.15N) /CN 96AO.1-0.15N) /CM .15N) /CM .14N) /CM .15N) /CM .15N) /CM .11N) CM .11N) CM .11N) CM .11N) CM .05N) /CM
=1. 7 E15. E15. E16. E16. E16. E16. E16. E16. E16. E16.	1 1 1 1 1 1 1 1 1 1 1 1 1	ALUMINUM	GALLIUM GALLIUM GALLIUM GALLIUM GALLIUM GALLIUM GALLIUM GALLIUM GALLIUM	MITFICE	PHOSPHILE	.0410 201 .0510 - 21 .0510 - 21 114 (21) 01 201 1
=> 0 E16?	1	ALUMINUM ON	GALLITM	NITFILE	рнозаніть	ADS.11GA1.33N0.9%PP.0200
E170	1	SII AIMINUM	GALLIUM	NITFILE	PHOSFHILE	Ab0.034A0.97N0.8xP0.12;/
E:7:	1	ALUMINUM	GALLIUM	:IITFILE	PHOSPHIFE	Abc. 66A1.97N1.97P(.03)/
E171	1		GALLIUM	HITFILE	PHOSPHILE	(ALG. 03/0A1. REMITERED .000)
E17:	1		GALLIUM	!IITFILE	PHOSPHICE	(ALC.180M1.83M1.1.P0.9%)
E17:	1		GALLITM	NITFILE	PHOSPHILE	(ALC.18GA0.85M0.95P0.08 /
E175 E176 E177 E175 E174 E187	1 1 1 1 1	ALUMINUM ALUMINUM ALUMINUM	GALLITM GALLITM GALLIUM GALLIUM	HITFIPE HITFIPE HITFIPE	PHOSPHICE PHOSPHICE PHOSPHICE PHOSPHICE	(ALC.10AC.910.3480.06)/DN (ALC.10AC.910.3981.01)/DN (ALC.10AC.810.3684.04)/DN (ALC.10AC.810.390.1)/CN (ALC.30AC.810.390.1)/DN (ALC.30AC.810.3981.02)/DN
=`· : e1-164						

=: 3 e1-164

161 ("ALUMINUM GALLIUM NICKEL SILICON HYDRONIDE OMIDE"/CH OR "ALUMINUM UM GALLIUM NIOBIUM NITRIEE (ALO.IGAT.SENBO.ITM "/CH OR "ALUMINUM GALLIUM NITRIDE"/CN OR "ALUMINUM GALLIUM NITRIDE (ALO.G.O.GAO.BE-1N)"/CN OR "ALUMINUM GALLIUM NITRIDE (ALO-C.O.GGAO.BE-1N)"/CN OR "ALUMINUM GALLIUM NITRIDE (ALO-J.12GAC.E8-1N)"/CN OR "ALUMINUM GALLIUM NITRIDE (ALO-J.12GAC.E8-1N)"/CN OR "ALUMINUM GALLIUM NITRIDE (ALO-O.13GAO.87-1N)"/CN OR "ALUMINUM GALLIUM NITRIDE (ALO-O.14GA

1.36-1N)"(CN CR "ALUMINUM GALLIUM NITRILE (ALC-0.16GAD.34-1N)",CN OF "ALUMINUM GALLIUM NITRIDE (ALC-0.17GAO.83-1N)"(CN OR "ALUMINUM GALLIUM NITRIDE (ALC-0.17GAO.3-1N)"/CN OR "ALUMINUM GALLIUM NITRIDE (ALC-0.26GAO.78-1N)",CN OR "ALUMINUM GALLIUM NITRIDE (ALC-0.26GAO.75-1N)",CN OR "ALUMINUM GALLIUM NITRIDE (ALC-0.36GA).65-1N)",CN OF "ALUMINUM GALLIUM NITRITE (ALC-0.36GA).65-1N)",CN OF "ALUMINUM GALLIUM NITRITE (ALC-0.36GA).65-1N)",CN OR "ALUMINUM GALLIUM NITRIDE (ALC-0.46GAO.55-1N)",CN OR "ALUMINUM GALLIUM

= · file caplus

COST IN U.S. BOLLARS SINCE FILE TOTAL ENTRY SESCION FULL ESTIMATED COST 659.04 682.40

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE TOTAL FUTRY SESSION CA SUBJORIBER BRIDE 1.30 -1.24

FILE 'CAPLUS' ENTERED AT 08:18:54 ON 54 DUN 2002 THE IS SUBJECT TO THE TERMS OF YOUR STU JUSTOMER AGREEMENT. PLEASE SEE "HELD ISAGETERMS" FOR DETAILS. COPYRIGHT (C) 2:12 AMERICAN THEMICAL SOCIETY (ACC)

Outpyright of the articles to which rectrus in this database refer to held by the publishers listed in the POELISHER (PB) field (available for resords published or updated in Chemical Abstracts after December 20, 1886), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STM. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 4 Jun. 2002 - VOL 196 ISS 23 FILE LAST UPDATED: 2 Jun. 2002 - (2-000cm / ED)

This file contains CAS Regustry Numbers for easy and accurate substance identification.

CAS roles have been modified effective December 16, 2011. Please check your SEI profiles to see if they need to be revised. For information in CAS roles, enter HELP ROLES at an arrow prompt or use the CAO Roles thesaurus (CRD field) in this time.

= · d his

(FILE 'HOME' ENTERED AT 08:33:04 of 04 fun 2002)

FILE 'REGISTRY' ENTERED AT 08:33:40 ON 14 CUN 2000 E ALUMINUM GALLIUM NITRIDE/CN

L1 1 3 E4

FILE 'CAPLUS' ENTERED AT 08:39:37 ON 04 JUN 2002

L. 2313 S L1

Lo 19818 S EPITAMIAL GROWTH

L4 66 F L2 AND L3

FILE 'REGISTRY' ENTERED AT 0%:40:31 ON 04 JUN 2002 E ALUMINUM GALLIUM NITAIDE ON

Lo 161 8 E1-164

FILE 'CAPLUS' ENTERED AT 18:33:54 FM 04 JUN 2002

```
= s 15
          4473 L5
Lini
= \cdot s 16 and 13
           103 Lo AND L3
= - d scan
                   CAPLUS COPYFIGHT 2002 ACS
L
     103 ANSWERS
     76-: [Electric Ehenomena)
     Section cross-reference(s): 75
     Growth of gallium nitride and aluminum gallium nitride thin films using
ΤΙ
     consentional and pendeo-epitaxial growth processes on
     6H-silicon carbide(0001) and silicon(111) substrates
3"
     aluninum gallium nitride heterostructure silicon carbide
ΙÜ
     Heterajunction semiconductor devices
        Sqrowth of GaN and (Al,Ga)N thin films using conventional and pendeo-
        epitaxial growth processes on (1001)6H-SiC and
     ll11 Si substrates for)
409-31-3, Silicon monocarbide, processes
                                                 25617-37-4, Gallium nitride
     (GaN: 106097-44-3, Aluminum gallium nitride Al0-lga0-ln
     FL: PEG (Physical, engineering or chemical process); PYF (Physical
     propess; TEM (Technical or engineered material use); PROC (Process); USES
     (\Box \circ (\cdot,\cdot))
        From the of GaM and (Al, Ga)N thin films using conventional and pendeo-
        epitaxial growth processes on ( 001)6H-SiC and
        +111 (3: substrates)
HOW MANY MORE ANSWERS DO YOU WISH TO SCAND (1):1
     10% ANSWERS CAPTUS COPYRIGHT 2002 ACS
I \cdot C
     ICM E0110009-06
         H01L031-0323; H01L031-0336; H01L031-072; H01L031-109; H01L021-3205;
     H:112021-4763
NOL
     76-3 (Electric Phenomena)
ΤΙ
     Design and tabritation of a SaN field-effect transistor and an inverter
     devilor
ST
     seminanduater device fabrication gallium nitride field effect transistor
     inventer
ΙΤ
     Despura
     Electron acceptors
     Electron doctors
     Epitary
     Field effect transistors
     Investers
     Ion implantation
     MISFET (transistors)
     Semi-Mindustir device fabrication
     Semi binduat ir heterojunations
        Attacking and fabrication of a GaM field-effect transistor and inverter
        derrice)
     243 4-10-5, Aluminum nitride 25617-97-4, Gallium nitride (GaN)
ΙT
     106097-44-3, Aluminum gallium nitride ((Al,Ga)N)
     EL: DEV (Device component use); TEM (Technical or engineered material
     user: TSES (Uses
         d-sign and fabrication of a GaN field-effect transistor and inverter
        device:
TT
     743 += 45-4, Magnesium, uses 7440-44-0, Carbon, uses
                                                             7440-66-6. Minc.
     EL: MoA (Modifier or additive use); USES (Uses)
        (Hesian and fabrication of a GaN field-effect transistor and inverter
        device)
```

HOW MANY MORE AMEMERS DO YOU WISH TO SCAN? (1):0 = \cdot s 17 5-17 abs ibib MISCING OPERATOR L7 5-12 The search profile that was entered contains terms or nested terms that are not separated by a logical operator. =. s 17 py \cdot = 2001 ars ihib MISSING OPERATOR 17 EY The swarph profile that was entered contains terms or mosted terms that are not separated by a logical operator. 35 a 17 py + 2001 MISSING OPERATOR L7 BY The swarch profile that was entered contains terms or mosted terms that are not separated by a logical operator. =. - a 12 gy + 1111 103 ANSWERS ARE AVAILABLE. SPECIFIED ANSWER NUMBER EXCEEDS ANSWER SET SIZE The answer numbers requested are not in the answer set. ENTER ANSWER NUMBER OF FANGE (1):0 MUMPEES IN FAMSE MUST BE GREATER THAN ZERO. An answer number must be a positive number. ENTER ANSWER NUMBER OF FAMOR (1):1 's' IS NOT A VALID BORMAT FOR FILE 'CAPLUS' The following are valid formats: ABS ----- 31 and AB ALL ----- BIB, AB, IND, BE APPS ----- AI, PSAI FIF ----- AM, plus Biplicgraphic Data and PI table (default) CAN ------ List of CA abstract numbers without answer numbers CBIP ----- AN, plus Compressed Bubliographic Data DALL ----- ALL, delimited (end of each field identified) DMAN ----- MAM, delimited for post-pricessing FAM ----- AN, PI and PFAN in table, plus Patent Family data FBIE ----- AM, BIB, plus Patent FAM 1110 ----- Indexing data
IPO ----- International Patent Classifications MAM ----- ALL, plus Patent FAM, RE FATS ----- FI, SD SAM ----- MO, SK, TI, ST, IT FCHD ----- 20, SX, FI, ST, IT (random display, no answer numbers; SCAN must be entered on the same line as the DISPLAY, e.g., D SCAN or DISPLAY SCAN) STD ----- BIB, IPO, and NOD IABS ----- ABS, indented with text lakels IALL ----- ALL, indented with text lakels IBIR ----- BIB, indented with text labels MAXX ----- MAX, indented with text labels ISTI ----- STD, indented with text labels CHIF ----- AN, plus Bibliographic Data (briginal) dIRIB ----- (RIE, indented with text labels SERB ----- BIB, no ditations SIBIB ----- IBIB, no ditations HIT ----- Fields containing hit terms HITINE ----- IC, ICA, ICI, NCL, OC and index field (ST and IT) containing hit terms

HITPN ----- HIT FN and its text modification HITSTR ----- HIT FN, its text modification, its CA index name, and its structure diagram HITSEQ ----- HIT FN, its text modification, its CA index name, its structure diagram, plus NTE and SEQ fields FHITSTF ---- First HIT PN, its text modification, its CA index name, and its structure diagram FHITSEQ ---- First HIT FN, its text modification, its CA index name, its structure diagram, plus NTE and SEQ fields KWIC ----- Hit term plus 20 words on either side

GCC ----- Number of occurrence of hit term and field in which it occurs

To display a particular steld or fields, enter the display field ocdes. For a list of the display field codes, enter HELP DFIELDS at an arrow prompt (=>). Examples of formats include: TI; TI,AU; BIE,ST; TI, IND; TI, SO. You may specify the format fields in any order and the information will be displayed in the same order as the format specification.

All of the formats (except for SAM, SCAN, BIT, BITIND, BITEN, BITSTE, FHITSTE, HITSEQ, FHITSEQ, KWIC, and OCC) may be used with DISPLAY ACC to view a specified Accession Number. ENTER DISPLAY FORMAT (BIB): ENTER DISPLAY FORMAT (BIb):bib

- ANSWER 1 OF 105 CAPLUS COPYRIGHT 2002 ACS LOD2:260146 CAPLUS
- A.: :
- 136:333314 111
- Cas source molecular beam epitaxy of high quality AlGaN on Si and sapphire Τ.
- VI. Mikishin, S.; Kipshidze, G.; Kuryatkov, V.; Zubrilov, A.; Choi, K.; Gherasciu, lu.; Grave de Peralta, L.; Prokofyeva, T.; Holtz, M.; Asomoza, E.; Kudryavtsev, Yu.; Temkin, E.
- Department of Electrical Engineering, Texas Tech University, Lubbook, TX, 79401, USA
- Materials Research Society Symposium Proceedings (2001), 639(GaN and helated Alleys--2000), G11.37/1-G11.37/6
 CODEN: MRSPDH; ISSN: 0272-9172
- ₽B Materials Research Society
- J.T Journal
- LI_{Λ} Enalish
- RE.CHT 29 THERE ARE IN CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> s 17 py - 2001 MISSING OPERATOR L7 PY The search profile that was entered contains terms or nested terms that are not separated by a logical operator.

= + s 17 and py < 2001 88 L7 AND PY -: 2001 L^{\pm}

= 10goff ALL L# QUEETES AND ANSWER SETS ARE DELETED AT LOGOFF LOGOFF? (Y), N, HOLD:n

=..